# Zehnder Yucca Series

zehnder yucca zehnder yucca asymmetric zehnder yucca wave






## zehnder yucca





The dream of a comfortable home can now be realised. The models of the Yucca series, whose indisputable advantage is their elegance, are pleasing to the eye and will warm the soul and the body. They create heat and turn your bathroom into an oasis for rest and a source of calm. Variations of the Yucca model provide sufficient space to warm up the towels and other items or to dry them after use.


Yucca radiators on request water-filled or electric. They offer a wide selection of dimensions and colours. They are supplied ready for installation, complete with mounting brackets of matching colour.

The version with symmetrical placement of tubes makes the Yucca radiators ideal for locating in large, spacious bathrooms. This model will also adorn any sauna, fitness salon, recreation room, kitchen, or foyer. Groups of three horizontal tubes are placed symmetrically either side the manifolds and are perfectly suited for drying or warming of towels. The assembly on request single-row or double-row. The Yucca radiators are constructed of precision steel horizontal tubes, securely and invisibly welded to the vertical manifolds.










Double-row assembly





Material: Steel Operating pressure: up to 12 bar Connection: From below, G <sup>1</sup>/<sub>2</sub>" On request supplied with the connection block concealed behind a cover, coated to match the radiator. Coating: Enamel (Colours shown in Zehnder catalogue), Chrome-plated (not all models) Large selection of additional accessories.

#### Models for closed heating systems:

Model	Overall	Overall	Heat capacity (W)	
	height	length		
	mm	mm	∆T=50K	$\Delta T$ =60K
Single-row mo	odel			
YS 50-90	908	500	321	404
YS 50-130	1340	500	477	600
YS 50-180	1772	500	621	781
YS 60-130	1340	600	541	681
YS 60-180	1772	600	706	888
YS 80-130	1340	800	661	832
YS 80-180	1772	800	863	1086
Double-row model				
YSD 50-90	908	500	484	609
YSD 50-130	1340	500	717	902
YSD 50-180	1772	500	926	1165
YSD 60-130	1340	600	823	1035
YSD 60-180	1772	600	1063	1337
YSD 80-130	1340	800	1024	1288
YSD 80-180	1772	800	1322	1663
	1		1	


### Electric models:

Model	Overall	Overall	Immersion Electric rating	
	height	length		
	mm	mm	(W)	
Single-row mo	del			
YSE 50-90	908	500	300	
YSE 50-130	1340	500	300	
YSE 50-180	1772	500	600	
YSE 60-130	1340	600	300	
YSE 60-180	1772	600	600	
YSE 80-130	1340	800	600	
YSE 80-180	1772	800	600	
Double-row model				
YSDE 50-90	908	500	300	
YSDE 50-130	1340	500	600	
YSDE 50-180	1772	500	900	
YSDE 60-130	1340	600	600	
YSDE 60-180	1772	600	900	
YSDE 80-130	1340	800	900	
YSDE 80-180	1772	800	1200	

## zehnder yucca asymmetric



Utilizing the Yucca asymmetric radiator, you will be able to create the bathroom of your dreams. On request mounted against a wall or installed as a partition, thereby turning any room, be it small or large, into a warm and cozy place. Groups of three horizontal radiator tubes project out to the right or to the left of the manifolds. The assembly on request single-row or double-row.



Material: Steel

Operating pressure: up to 12 bar Connection: From below, G <sup>1</sup>/2" On request supplied with the connection block concealed behind a cover, coated to match the radiator. Coating: Enamel (Colours shown in Zehnder catalogue), Chrome-plated (not all models) Large selection of additional accessories.

## Models for closed heating systems:

(V)R V(R)

Model	Overall	Overall	Heat capacity (W)		
	height	length			
	mm	mm	∆T=50K	$\Delta T$ =60K	
Single-row mo	del				
YA 40-130	1304	378	439	552	
YA 40-170	1736	378	574	722	
YA 50-90	872	478	353	444	
YA 50-130	1304	478	525	660	
YA 50-170	1736	478	696	876	
YA 60-130	1304	578	607	764	
YA 60-170	1736	578	798	1004	
Double-row model					
YAD 40-130	1304	378	625	786	
YAD 40-170	1736	378	832	1047	
YAD 50-90	872	478	523	658	
YAD 50-130	1304	478	763	960	
YAD 50-170	1736	478	995	1252	
YAD 60-130	1304	578	880	1107	
YAD 60-170	1736	578	1151	1448	

Electric models:

в∮∔∨

50

132±5

43

Model	Overall	Overall	Immersion Electric rating	
	height	length		
	mm	mm	(W)	
Single-row mo	del			
YAE 40-130	1304	378	300	
YAE 40-170	1736	378	300	
YAE 50-90	872	478	300	
YAE 50-130	1304	478	300	
YAE 50-170	1736	478	600	
YAE 60-130	1304	578	600	
YAE 60-170	1736	578	600	
Double-row model				
YADE 40-130	1304	378	600	
YADE 40-170	1736	378	600	
YADE 50-90	872	478	300	
YADE 50-130	1304	478	600	
YADE 50-170	1736	478	900	
YADE 60-130	1304	578	600	
YADE 60-170	1736	578	900	

## zehnder yucca wave

The Yucca wave is the newest towel dryer in the Yucca series of designer radiators. Curved horizontal tubes and the curved vertical decorative panel make this unit worthy to be a sample of modern sculpture. It takes up very little space. It has the most options for drying towels and clothes. The horizontal tubes are curved to a smooth wave to the right or to the left of the manifolds. The manifolds are concealed by the decorative panel. The Yucca Wave offers a wide selection of finishes for the tubes and for the decorative panel – from the standard white to an endless combination of colours and chrome plating.





### Material: Steel

Operating pressure: up to 12 bar

Connection: From below, G 1/2"

On request supplied with the connection block concealed be-

hind a cover, coated to match the radiator.

Coating: Enamel (Colours shown in Zehnder catalogue),

Chrome-plated.

Large selection of additional accessories.

## Models for closed heating systems:

Model	Overall	Overall	Heat capacity (W)	
	height	length		
	mm	mm	∆T=50K	$\Delta T$ =60K
YAW 50-140	1362	465	519	653
YAW 50-150	1442	465	519	653
YAW 50-180	1794	465	682	858
YAW 50-190	1874	465	682	858
YAW 60-140	1362	565	557	701
YAW 60-150	1442	565	557	701
YAW 60-180	1794	565	754	949
YAW 60-190	1874	565	754	949

Zehnder Group Export Division Information Office Almweg 34 D-77933 Lahr Tel. +49 (0) 7821 586 392 Fax +49 (0) 7821 586 406 zehnderexport@zehndergroup.com www.zehnder.eu

Zehnder Group Export Division Information Office 7, rue Jean Mermoz F-91031 Evry Cedex Tél 33 1 69 36 16 15 Fax 33 1 69 36 15 33 export@zehndergroup.com www.zehnder.eu

## Electric models:

Model	Overall	Overall	Immersion Electric rating		
	height	length			
	mm	mm	(W)		
With the horizontal tubes facing to the right					
YAWER 50-140	1362	465	300		
YAWER 50-180	1794	465	600		
With the horizontal tubes facing to the left					
YAWEL 50-140	1362	465	300		
YAWEL 50-180	1794	465	600		



